

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	101	(server WITH overload).detd. (threshold or maximum or minimum).detd. (reject or deny or discard) (delay or period or time) @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/18 12:58
L3	68	(server WITH overload).detd. threshold.detd. (reject or deny or discard) (delay or period or time) @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/18 13:04
L4	5	(server WITH overload).detd. ((second or lower) adj threshold).detd. (reject or deny or discard) @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/18 13:19
L5	4	"6961341".pn. or "6889257".pn. or "6259776".pn. or "6510214".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/18 13:24
S1	2661	709/225.ccls. (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 14:18
S2	108564	(gateway or server or portal or intermediary) (load or throughput or latency) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 14:25
S3	32266	(gateway or server or portal or intermediary) (load or throughput or latency) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 14:45
S4	2788	(gateway or server or portal or intermediary) throughput latency memory (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 14:45

S5	2506	(gateway or server or portal or intermediary) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 15:53
S6	2443	(gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 15:54
S7	2135	(gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 15:54
S8	1064	(gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 15:54
S9	533	(gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 16:06
S10	70	(gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/12 16:35

S11	69	(gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 17:37
S12	2	(gateway or server or portal) throughput SAME latency SAME ratio memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 12:14
S13	4	(gateway or server or portal) throughput SAME latency SAME ratio (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 12:15
S14	7	(gateway or server or portal) throughput SAME latency SAME ratio (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 12:15
S15	5	US-5249290-\$.DID. OR US-5878224-\$.DID. OR US-6249801-\$.DID. OR US-6836785-\$.DID. OR US-6832239-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 12:23
S16	6	"20030221007".pn. OR US-5249290-\$.DID. OR US-5878224-\$.DID. OR US-6249801-\$.DID. OR US-6836785-\$.DID. OR US-6832239-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 12:24

S17	107994	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (@ad<"20040127" OR @rlad<"20040127") not sun. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 13:16
S18	107994	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (@ad<"20040127" OR @rlad<"20040127") not sun. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 13:16
S19	0	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (number WITH request) ("average process time" with request) (@ad<"20040127" OR @rlad<"20040127") not sun. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 13:17
S20	11	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (number WITH request) ("average processing time" with request) (@ad<"20040127" OR @rlad<"20040127") not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 13:20
S21	700	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (rate WITH request) SAME (arrival or processing or completetion) (@ad<"20040127" OR @rlad<"20040127") not sun. as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 13:32

S22	1	("5878224").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/09/14 14:09
S23	1	("6836785").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/09/14 14:09
S24	1	application WITH (gateway or server or portal) mbean instantiate generic WITH class (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/09/14 17:46
S25	2777	709/225.ccls. (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S26	112431	(gateway or server or portal or intermediary) (load or throughput or latency) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S27	33590	(gateway or server or portal or intermediary) (load or throughput or latency) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S28	2910	(gateway or server or portal or intermediary) throughput latency memory (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S29	2617	(gateway or server or portal or intermediary) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15

S30	2552	(gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S31	2232	(gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S32	1132	(gateway or server or portal) throughput latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S33	555	(gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S34	71	(gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S35	70	(gateway or server or portal) throughput SAME latency memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) ratio (@ad<"20040127" OR @rlad<"20040127") "709"/\$. ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15

S36	3	(gateway or server or portal) throughput SAME latency SAME ratio memory (request or queue) (sample or sampling or periodic) (threshold or maximum or minimum) (average or normal) (@ad<"20040127" OR @rlad<"20040127") "709"/\$.ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S37	5	(gateway or server or portal) throughput SAME latency SAME ratio (sample or sampling or periodic) (threshold or maximum or minimum) (@ad<"20040127" OR @rlad<"20040127") "709"/\$.ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S38	8	(gateway or server or portal) throughput SAME latency SAME ratio (@ad<"20040127" OR @rlad<"20040127") "709"/\$.ccls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S39	5	US-5249290-\$.DID. OR US-5878224-\$.DID. OR US-6249801-\$.DID. OR US-6836785-\$.DID. OR US-6832239-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S40	6	"20030221007".pn. OR US-5249290-\$.DID. OR US-5878224-\$.DID. OR US-6249801-\$.DID. OR US-6836785-\$.DID. OR US-6832239-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S41	112039	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (@ad<"20040127" OR @rlad<"20040127") not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S42	112039	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (@ad<"20040127" OR @rlad<"20040127") not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15

S43	0	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (number WITH request) ("average process time" with request) (@ad<"20040127" OR @rlad<"20040127") not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S44	12	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (number WITH request) ("average processing time" with request) (@ad<"20040127" OR @rlad<"20040127") not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S45	720	(gateway or server or portal) (sample or sampling or periodic or "time period" or interval) (threshold or maximum or minimum or current or average) (rate WITH request) SAME (arrival or processing or completion) (@ad<"20040127" OR @rlad<"20040127") not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S46	1	("5878224").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/02/06 17:15
S47	1	("6836785").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/02/06 17:15
S48	1	application WITH (gateway or server or portal) mbean instantiate generic WITH class (@ad<"20040127" OR @rlad<"20040127") "709"/\$.cls. not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/06 17:15
S49	3	(server WITH overload) (threshold or maximum or minimum or current or average) grace @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/17 14:58

S50	3	(server SAME overload) (threshold or maximum or minimum or current or average) grace @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/17 14:59
S51	699	(server WITH overload) (threshold or maximum or minimum or current or average) @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/17 14:59
S52	368	(server WITH overload) (threshold or maximum or minimum or current or average) (safe or normal) @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/17 15:00
S53	366	(server WITH overload) (threshold or maximum or minimum or current or average) (safe or normal) (delay or period or time) @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/17 15:00
S54	321	(server WITH overload) (threshold or maximum or minimum) (safe or normal) (delay or period or time) @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/17 15:00
S55	59	((server WITH overload) SAME (threshold or maximum or minimum)). detd. (delay or period or time) @ad<"20040127" not sun.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/07/17 15:02

7/18/08 2:36:12 PM

C:\Documents and Settings\ntaylor5\My Documents\EAST\Workspaces\app10.765828.wsp